



Instructional Video Included

DVD Included

"AA" "AA" Batteries NCLUDED Included

Pack Included

FREE replacement of Stress-Tech parts

DOMINATION BY DESIGN.

Length: 22.4 in (568mm) Width: 17.5 in (445mm) Height: 10.5 in (267mm) Weight: 11.9 lb (4.5kg) Ground Clearance: 3.75 in (95mm)

1/8 SCALE READY-TO-RUN **4WD NITRO MONSTER TRUCK**

WARHEAD

YARHEAD)

the Warhead is truly an aggressive approach to monster truck design, because the Warhead excels at racing AND tackles tough off-road action better than any competitor...it's two top-of-the-line trucks in one! And best of all, it's completely assembled and Ready-To-Run right out of the box. The Warhead comes complete with a 3-channel radio and huge .27-size racing engine made by SuperTigre. With its unique features and combination of insane speeds and unstoppable power, the Warhead declares war on the monster truck competition!

UNMATCHED ADJUSTABILITY

Two adjustments in both front and rear for four roll center combinations

Adjustable Turnbuckles

- Adjustable Front and Rear Toe-In

PROTECTED BY GUARANTEEI

■ Adjustable Steering Ackerman



In Rumble Mode, more ground clearance means fewer hang-ups. **3-Channel Radio**



Features third channel for shifting into forward or reverse!



Easily shift from Forward to Reverse using the transmitter. The 2-speed automatically shifts from low to high gear.

- Positive Lock engagement
- Durable Steel Gears



High Performance Race Engine designed specifically for the Warhead.

- Machined aluminum racing head

- True ABC construction
- Dual ball bearings
- Pull start
- 3 year warranty

- Dual-needle slide valve carb
 - - Adjustable Steering Ackerman
 - Adjustable Front and Rear Toe-in

■ Aluminum Racing Tuned Pipe

HIGH PERFORMANCE FEATURES: ■ 7075 Aluminum Side Plates ■ 8 Rapid Tune™ Aluminum Oil Shocks

■ SX-200 Heavy Duty Metal Geared Steering Servo - 124 oz-in Of Torque!

■ Complete Bearing Set **■** Fully Adjustable Suspension

■ Shaft Driven 4-wheel Drive ■ Metal Gear Differentials

■ Heavy Duty CV Driveshafts


■ Adjustable Slipper Clutch

■ Dual Composite Disk Brakes ■ Steel Turnbuckles **■** Enclosed Radio Box ■ Huge Oversized Fuel Tank

- Adjustable Body Mounts
- Aluminum Carrying Handle
- Starter Box Compatible







Low Stance for Stability

Ready-To-Run...on nitro fuel!



t's fast, it's furious...and it's fueled for exciting nitro action! The Nitro Evader ST is factory-built, factory-painted and factory-equipped, so you can start burning up the track almost immediately. Power is provided by an .18 (3.0cc)-size engine from O.S.®; control is courtesy of a pro-styled 2-channel radio by Futaba® — complete with "AA" batteries! And not only is everything installed, you also get a FREE video, plus a fuel bottle and glow starter with battery...all you add is glow fuel!

Weight: 4.3 lb (1950g)

As rugged as the Nitro Evader ST is, it's also loaded with hop-ups that give it more firepower than most RTRs — so you'll be movin' up fast on the competition. For convenience, durability and performance, the Nitro Evader ST is one incredible value!







This powerhouse boasts a twoneedle carb, heavy-duty con rod, dual ball bearings and pull-start ease.



Custom Multi-Color Body

Choose from 6 different multicolor bodies keyed to each radio

Quality Performance Features!

- 7075 T6 anodized aluminum chassis
- Adjustable ball diff
- Hard anodized slipper clutch
- Rapid-Tune™ aluminum oil-filled
- Power-boosting tuned pipe
- Steel turnbuckles
- Constant Velocity (CV) drive shafts
- Composite disk brake
- Complete ball bearings 16 total









A fire-breathing RTR buggy!





Choose from 6 different multi-

color bodies keyed to each radio freauency.

Quality Performance

f the roaring realism of nitro power gets you fired up, then get the buggy that will have you blazing your own off-road trails in a blink of an eye...the Nitro Evader BX! Everything — from assembly to painting to installation of all on-board gear — has already been done; you just add fuel and GO! And no corners have been cut for the sake of convenience: the engine is made by O.S.*, and the radio system comes from Futaba*...with batteries included. Plus, a FREE video, fuel bottle and glow starter with battery are also supplied — the Nitro Evader BX has it all covered!

Legendary Evader toughness is still here, so feel free to let 'er rip. And the upgrades normally found only on top-notch racing machines? You'll find that lots of them are standard equipment on the Nitro Evader BX. That means you'll not only start racing from day one - you'll start winning too!

Length: 16.5 in (420mm) Width: 10.2 in (260mm)

Height: 4.5 in (115mm)


Weight: 3.8 lb (1745q)



Includes Radio by

Features! ■ 7075 T6 anodized

- aluminum chassis
- Adjustable ball diff
- Hard anodized
- slipper clutch ■ Rapid-Tune™ aluminum oil-filled
- shocks Power-boosting
- tuned pipe
- Steel turnbuckles
- Constant Velocity (CV) drive shafts
- Composite disk brake
- Complete ball bearings 16 total





With its two-needle carb, heavy-duty con rod and dual ball bearings, this engine delivers all-out power with pull-start ease.









Takin' RTR ease to the streets!



he Street Force GP2 is the 1:10 scale touring car designed to take the streets by storm. From the moment you open the box, the Street Force GP2 offers unequalled convenience in assembly, uncommonly high levels of performance and the latest in street-wise styling - all in an exceptionally complete nitro package.

Stock No: DTXD52** (RTR)

Height: 4.6 in (115 mm)

Weight: 3.1 lb (1430 g)

Wheelbase: 10.1 in (255 mm)

Ground Clearance: 0.4 in (11 mm)

Stock No: DTXC0052 (Pre-Built) Length: 16.5 in (419 mm)





2-Channel Pistol Grip Radio

Lightweight and well-balanced for hours of comfortable racing. Features adjustable steering rate. Transmitter, receiver, servos, and 12 "AA" alkaline batteries included (RTR only).





DuraTrax .18 cu in (3.0cc) Engine



This powerhouse boasts a two-needle carb, heavy-duty con rod, dual ball bearings, and pull-start ease.



High performance features for speed and easy handling!

RTR's radio frequency

- 2-Speed transmission automatically shifts up for more speed or down for more power
- Aluminum Tuned Pipe and Manifold
- Purple Anodized 3.0mm 6061 T6 Aluminum Chassis
- Purple Anodized Aluminum Shock Towers
- Efficient Ball Bearing Set (16 piece)

"AA"

D.V/ P

- Adjustable Front & Rear Ball Differentials
- Front CV Drive Shafts
- Rapid-Tune™ Hex Center
- Smooth 3-Belt Drive System
- Durable Fiberglass Disk Brake
- Oil-Filled Shocks



Stock No. DTXD97**

Length: 28.1 in (715mm) Width: 16.5 in (420mm)

Wheelbase: 18.5 in (470mm)

Requires: Gasoline, 2-cycle oil, 8 "AA" batteries

Massive Size and Power!




Custom Multi-Color Body

Choose from 6 different multicolor bodies.

High Performance Features:

- 4mm Aluminum Chassis
- Durable Metal Gears
- Steel Turnbuckles
- Independent Suspension Protective Roll Cage
- Rapid-Tune™ Aluminum Oil-Filled Shocks
- Huge 450cc Fuel Tank
- Rear Disc Brakes
- Complete Bearing Set





Dual rates

RADIO FEATURES:

End Point Adjustments

Heavy Duty S3302 1/4

Receiver Pack and Charger



Ruilt-in recoil starter for easy starts

Push button

kill switch










Electric ease — Loaded with hop-ups!



he Evader ST RTR doesn't just get you rolling in record time. It's so loaded with performance extras, it can speed you right into the next stage of R/C - racing! You'll be kickin' up dust in a matter of minutes. Adjustments are factory-set, and everything except a 6- or 7-cell battery and charger is already included. It's rugged enough to survive warp-speed sprints and touchdowns after catching air off jumps. Check it out,

and you'll agree: NOTHING can touch the

Evader ST for convenience, durability,

and race-ready power!

Photon Speed™ Motor

20 Turn Modified Motor with open endbell means you can easily replace brushes and springs to keep peak performance.





Futaba.

Custom Multi-Color Body

Choose from 6 different multi-

requency.

Shocks

color bodies keyed to each radio

■ Complete Ball Bearings — 16 Total

Steel Universal Driveshafts

■ Ball Differential

■ Steel Turnbuckles

Foam Tire Inserts

■ Ball Cup Dirt Guards

One Piece Racing Wheels



EBUILT VERSION



Offers solid-state lightness and reliability in forward, brake and reverse!



Ready NOW for ROAR-legal racing!

ER.ST **PRO**



GRAPHITE

PARTS GUARANTEE YEAR

sk for a competitive stadium racing truck with ready-to-run convenience — and DuraTrax delivers, with the Evader ST Pro! No upgrades or modifications are needed for racing...just make some room in your trophy case.

How competitive is the "Pro"? For starters, it's the first RTR electric stadium truck to include a hot, 15-turn modified motor. Throughout, only race-proven materials — and the finest equipment from the best racing product manufacturers are used. And even "AA" batteries are included!

Stock No: DTXD27** Length: 16.125 in (410mm) Width: 12,875 in (325mm)

Tires by

Height (w/body): 6.625 in (168mm)

Ground Clearance: 1.375 in (35mm)



Team Orion Havok Modified Motor

This 15-turn, double wound modified motor features dual ball bearings.



Rapid-Tune™ oil shocks with hardanodized bodies.

■ Ball differential

Hard-anodized slipper clutch.

Includes 2PL 2-Channel

Futaba.

Add computer control to your competitive arsenal! Includes ABS braking, digital trims, steering dual rate, 10-model memory, end

Radio by

point adjustment and easy, one-button programming.

12T Modified Reversible **Electronic Speed Control**

Efficent, high-frequency ESC offers easy push-button set up of reverse and ABS oraking (with lockouts for both) plus programmable traction and more.





Custom Multi-Color Body

Choose from 6 different multicolor bodies keyed to each radio



- Stiff, lightweight graphite parts include chassis, suspension
- arms, shock towers and more. Adjustable rear toe-in and
- rear anti-squat to fine-tune "on power" handling.
- Constant Velocity (CV) driveshafts.
- Steel turnbuckles.


- Complete ball bearings.











Ground Clearance: 1.4 in (35 mm)

Weight: 3.6 lb (1.6 g)



FREE

Nothing can touch it!



his 2WD electric eliminates more than assembly work and the hassle of getting your hands on the right accessories. It also needs no upgrades for racing-caliber performance. Powerful modified motor, electronic speed control, full ball bearings, oil shocks and more all come already built-in. For convenience, completeness, and strong racing potential that meets ROAR specs, get the Evader BX RTR (or, if you already own a radio, the otherwise equally well-equipped Evader BX Prebuilt)!





Stock No. DTXC0022 (Prebuilt) Length: 15.5 in (395mm) Width: 9.875 in (250mm) Height: 6.5 in (165mm) Weight: 44 oz (1245g) w/out battery Wheel Base: 11 in (280mm)

Photon Speed™ Motor

Electronic Speed Control

Offers solid-state lightness and reliability in forward, brake and reverse!



Custom Multi-Color Body

Choose from 6 different multicolor bodies, keyed to each RTR's radio frequency.

Quality Performance Features!

- Rapid-Tune™ Aluminum Oil-Filled Shocks
- Adjustable Slipper Clutch
- Complete Ball Bearings —
- Steel Universal Driveshafts
- Ball Differential
- Steel Turnbuckles
- Foam-Lined Tires Mounted on One-Piece Racing Rims
- Rear Motor Guard
- Adjustable Racing Wing



Includes Radio by Futaba.





ERE

Racing power <u>beyond</u> untouchable!

ERBX **PRO** 1:10 Scale RTR R/C Electric Racing Buggy

op-ups are a thing of the passed — with the Evader BX Pro, you're equipped outof-the-box with a winning package of the hottest upgrades ever factory-assembled into one ferocious, ROAR-legal electric 2WD buggy.


You know the names: Futaba...Team Orion... Pro-Line. With their expertise in radios, motors and tires blended with the high DuraTrax standards for quality RTR engineering, there's only one place you can finish: First. And you'll get there <u>fast</u>.

Complete. Convenient. Competition-ready. When you've got your eye on competitive buggy action, those are three great reasons to get your hands on the Evader BX Pro.



12T Modified Reversible **Electronic Speed Control**

Efficent, high-frequency ESC offers easy push-button set up of reverse and ABS braking (with lockouts for both) plus programmable traction and more.



shafts. ■ Rapid-Tune™ oil shocks with

Custom Multi-Color Body

Fully equipped for

Stiff, lightweight graphite

Adjustable rear toe-in and

rear anti-squat to fine-tune

parts include chassis, suspension

arms, shock towers and more.

Choose from 6 different multi-

color bodies, keyed to each RTR's radio frequency.

competition!

- hard-anodized bodies.
- Steel turnbuckles.
- Ball differential.
- Hard-anodized slipper clutch.
- Complete ball bearings.


Includes 2PL 2-Channel Radio by Futaba.

Add computer control to your competitive arsenal! Includes ABS braking, digital trims, steering dual rate, 10-model memory, end point adjustment and easy, onebutton programming.











Small in size...BIG on Performance!



At 1/18 scale, almost anywhere can become a race track for the Micro Street Force Ready-To-Run electric. And it's not only completely assembled, it's complete...period. A 2-channel radio with batteries, micro electronic speed control, 600mAh NiCd battery with charger that delivers up to a 1/2 hour of run time

ESC1000 Micro Electronic Speed Control w/Reverse

This quality-engineered ESC delivers smooth acceleration and control. You'll enjoy fully proportional command of forward, reverse and braking.

on a single charge - they're all included. The touring car body is already painted and trimmed in one of six colors. And here's a bonus: the wheelbase, track width and body mounts are all adjustable, to accommodate other 1/18 micro car bodies.

INCLUDES A 2-CHANNEL PISTOL GRIP RADIO MADE

BY Futaba.

 Adjustable steering rate ■ Includes (1) SX100 servo and 8 "AA" batteries

STRESS-TECH GUARANTEE VEAR

600mAh NiCd battery & charger

Two more accessories that you don't have to buy separately — another Micro Street Force bonus!





ainted and Trimmed Bodies

Choose from 6 exciting colors.

High Performance Features:

- Fiberglass Chassis
- Belt-driven 4WD system
- Durable Gear Differentials
- Independent Front Suspension
- Soft Racing Tires
- Adjustable Track and Wheelbase

where bigger monsters can't go - and performance that other mini monsters just can't match. It's due to more than the factory-assembled chassis and painted body. It

■ Horizontally Mounted

- Front Shocks
- Complete Bearing Set
- Front Foam Bumper

Mini Monster with FULL size Features!



goes beyond what's added by the radio, motor, ESC, NiCd battery and charger. It comes from all of those things,

plus built-in hop-ups that boost performance while leav-

ing affordability intact!

PROTECTED BY

STRESS-TECH

GUARANTEE

Ground Clearance: 1.25 in (32mm)

Stock No. DTXD11**

Length: 9.5 in (240mm)

Width: 7.4 in (185mm) Height: 4.7 in (120mm)

Choose from 6 different High Performance Features:

Custom Multi-Color Body!

- 380 Size Motor
- Shaft Driven 4WD
- Durable Gear Differentials

exciting colors.

- Telescoping Universal Drives
- Aluminum Chassis Brace
- 8 Oil-Filled Shocks
- Independent Suspension
- Adjustable Motor Mount
- Complete Bearing Set



Two more accessories

that you don't have

to buy separately -

another Mini Ouake

600mAh NiCd battery & charger





■ Includes (1) SX100 servo and 8 "AA" batteries



Stock No. DTXD10**

Length: 9.375 in (240mm)

Width: 4.0 in (100mm) Wheelbase: 5.5-6.0 in (140-150mm)

Nitro Accessories

Fuel and Starter Boxes



Failsafe Unit

Prevents "runaway" vehicles by returning the engine to user-set idle position. Provides protection during loss of radio frequency or low receiver battery voltage. Features easy, one-step push button setup and works with Futaba, Air Z, Hitec, and JR. DTXM4000



Powered by replaceable alkaline cells (not included), these starters offer more capacity than NiCds, at a lower price along with the convenience of not needing to be charged overnight before use.

DTXP0300 Glow Starter C Battery



Rapid Heat™ Glo-Starter w/Charger

Rapid Heat's 1500mAh Sanyo® NiCd sends power to a 1-3/4" socket with Twist-and-Lock tip. Place it over a glow plug, twist, and you've got a vibration-resistant electrical circuit linking NiCd and glow plug. Includes 110V AC overnight charger. DTXP3000



charger and rechargeable NiCd (C or D size), but also accept alkaline batteries. The proven Twist-and-Lock head keeps your starter securely attached.

DTXP0310 Ultimate Glow Starter C Battery DTXP0315 Ultimate Glow Starter D Battery



Power Pak for Traxxas® EZ-Start"

Save time and money with this all-in-one battery/charger Power Pak designed for the Traxxas EZ-Start System. It includes a 1000mAh 6-cell flat NiCd pack and 9V wall charger, DTXP4605



Ideal for use in all R/C car engines,

hand-assembled DuraTrax Glow Plugs

are color-coded for easy identification

and equipped with solid-metal coils

hot plug for low-nitro applications.

that resist meltdown. Silver Sport is a

Carbon Speed is a medium-heat plug

for informal racing and sport driving.

Cold Gold Racing plug keeps its

cool in competition, even with

high-nitro fuels. LR3 is designed

specifically for the Traxxas TRX 2.5.

DTXG3001 Silver Sport Glow Plug

DTXG3005 Gold Racing Glow Plug

DTXG3010 LR3 Long Reach Plug

DTXG3003 Carbon Speed Glow Plug

Designed for TRX 2.5

Hi Flow Air Filter .10-.15

Installed over the carburetor of your .10-.15 engine, this single-stage filter locks out damaging dirt and dust.

DTXG2612 Hi Flow Air Filter .10-.12 DTXG2615 Replacement Elements (2)

Tuned Pipes

Easy to install tuned pipes boost mid- and top-end torque for more ead-grabbing GO. Both include pressure fitting and require header and coupler.

DTXG1000 Tuned Pipe for .21 DTXG1010 Tuned Pipe for .10-.15

Clutch Bells

Durable, hardened steel construction provides precise gear mesh for 1/8 models. Machined front and rear for ball bearings, available separately.

DTXC2521 Clutch Bell 13T DTXC2522 Clutch Bell 14T DTXC2523 Clutch Bell 15T DTXC2524 Clutch Bell 16T DTXC2525 Clutch Bell 17T DTXC2526 Clutch Bell 18T

FlashPoint™ Infrared Temperature Gauge

Just point and push! The compact and lightweight FlashPoint measures temperature levels anywhere, with an infrared sensor that makes it incredibly fast and easy to monitor accurate heat levels without direct contact. And besides nitro engines. the FlashPoint can be used to check the temperature of electric motors and battery packs, DTXP3100



WIRELESS!

Monitor operating temperatures to help prolong the life of your engine.

Clean-Flow™ Fuel Filter

The blue-anodized, machined aluminum Clean-Flow in-line fuel filter allows unrestricted fuel flow while preventing debris from reaching your engine. It features a fine-mesh nylon micron screen and o-ring seal to prevent leaks. For glow fuel only. DTXC2551



Air Filter Oil

Air Filter Oil increases foam element filter capacity and helps put a halt to premature engine failure. Just apply a small amount to the element and squeeze out the excess. 3 oz. bottle. DTXC2465





O.S.® Engine Accessories

Stage II Performance Heads in blue, black or purple let you "customize" your O.S. .12 or .15 engine while improving cooling and enjoying more race-winning horsepower - thanks to a modified combustion chamber. ABC Sleeve/Piston is an optional cylinder sleeve and piston assembly with true ABC construction for long-lasting compression fit.

DTXG1510	CZ .12 Stage II Head - Black
DTXG1511	CZ .12 Stage II Head - Blue
DTXG1512	CZ .12 Stage II Head - Purple
DTXG1516	CZ .15 Stage II Head - Black
DTXG1517	CZ .15 Stage II Head - Blue
DTXG1518	CZ .15 Stage II Head - Purple
DTXG1520	ABC Sleeve/Piston .12 CV, CZ, L
DTXG1522	ABC Sleeve/Piston .15 CV

O'Donnell Racing Fuel

O'Donnell Racing Fuel is blended from the highestgrade methanol and nitromethane, linked with an exclusive lubricant package developed for racing engines with very exact tolerances. It offers superior performance and reliability while reducing critical heat and internal engine wear. Precise blending ensures consistent quality.

DTXP0420 10% Racing Quart DTXP0430 20% Racing Quart DTXP0432 30% Racing Quart DTXP0436 40% Racing Quart DTXP0470 10% Racing Gallon

DTXP0500 20% Racing Gallon DTXP0510 30% Racing Gallon DTXP0519 40% Racing Gallon

Kwik-Pit™ Fuel Bottles

Available in 250cc (8.8 oz) and 500cc (17.6 oz) capacities, the Kwik-Pit Fuel Bottle holds more than enough fuel to top off your tank. The long, angled neck reaches easily into your tank to prevent fuel spills, and the clear plastic body keeps you aware of fuel levels.

DTXP0125 Kwik-Pit 250cc Fuel Bottle DTXP0150 Kwik-Pit 500cc Fuel Bottle

Starter Sets

Each set includes essential tools for nitro modeling: a DuraTrax Deluxe Car Wrench and Kwik Pit™ Fuel Bottle. Rapid Heat™Glo-Starter Glow Plug. Nitro Starter Set w/Fuel adds a guart of Red Alert™ 10% Nitro Fuel.

DTXP0200 Nitro Starter Set with Fuel DTXP0205 Nitro Starter Set

Kwik-Pit™ Super Start

Fast, efficient starting for many 1/10 and 1/8 vehicles. Features powerful twin 540 motors, steel gears and ball bearings. Includes backplate adapter and starting

shaft. Requires (2) 7.2V NiCd battery packs. DTXP6000 DTX Torg 21, DTX Velocity 15-17,

Dynamite 12-28 DTXP6005 Savage 21-25 HPI/KYO 12-15 DTXP6010 DTXP6012 Traxxas Pro 15 DTXP6015 Traxxas TRX 2.5

DTXP6020 OS® 12-15, DTX Torq 12-16

O'Donnell Ready-2-Run Fuel

Economical Ready-2-Run Sport Fuel includes a special lubricant package that benefits the operation and performance of engines found in most ready-torun vehicles. Endorsed by Team Associated, it helps to protect your engine while you learn the skills to provide proper care and maintenance.

DTXP0710 10% R2R Ouart DTXP0720 20% R2R Quart DTXP0722 30% R2R Ouart

DTXP0740 10% R2R Gallon DTXP0750 20% R2R Gallon

Red Alert™ Racing Fuel

Red Alert contains a carefully race-tested blend of castor and synthetic oils to give your engine optimum thermal stability.

DTXP0520 10% Quart DTXP0530 20% Ouart DTXP0570 10% Gallon DTXP0600 20% Gallon





1/8 Scale

Universal II



Starter Boxes

Start glow engines with ease! 1/10 Scale Universal Starter Box adapts to "sidewinder" engine layouts and virtually any 1/10 scale car or truck. Included, dual 550-size motors deliver starting power for .12 to .18 engines. Connectors are in place for internal installation of a required 12V battery or two 6-cell NiCd packs. The 1/10 Scale Starter Box with Power Panel is the same as above but also includes a power panel, 12V gel cell battery, and glow starter clip. The 1/10 Scale Touring Car Starter Box is for 1/10 4WD touring cars and 1/8 scale on-road cars. It features a ball bearing-assisted belt drive system. powered by a heavy-duty 750 motor and includes leads and alligator clips for 12V operation. For even more muscle, the Universal II 1/8 Starter Box includes a single 770 motor.

DTXP5600 1/8 Scale Universal II Starter Box DTXP5700 1/10 Scale Universal Starter Box

DTXP4600 Starter Box Power Pack for DTXP5700 DTXP5750 1/10 Scale Touring Car Starter Box DTXP5760 1/10 Starter Box with Power Panel DTXP5770 Kwik-Pit Mini Power Panel

Battery Packs

Shark™ 1500 6C Sport Pack



An awesome sport pack! Delivers 7.2V of power for backyard bashers, with 1500mAh of run-time capacity. Quality construction features include quad welds on all cell/tab connections, reinforced tubes, 14-gauge silicone wire and standard connector, DTXCO30

Sanyo® 1500 Packs



These 1500mAh packs feature powerful, high-capacity, genuine Sanyo cells. Ideal for both sport and racing uses, with the quality and reliability of the world's best cell maker.

DTXC2065 Sanyo 1500 6-Cell Flat DTXC2066 Sanyo 1500 7-Cell Flat DTXC2067 Sanyo 1500 7-Cell Hump

GP3300 6C NiMH Flat Pack



No pack can top the run times of DuraTrax's GP3300mAh NiMH battery — which makes it the perfect choice for your vehicles that require an extra punch of power. DTXC2140

Transmitter NiCd Conversion Kits



NiCd ease for 2 and 3channel radios. Includes AC charger and 8 Sanyo® 700mAh rechargeable cells!

DTXP4009 TX NiCD Conversion Kit Air, Hitec DTXP4010 TX NiCD Conversion Kit Futaba, KO, Tower

Piranha™ 1500 SCX Packs



High-quality cells; 4 spot welds on each connection; 14 gauge, 200+ strand wire; shotgun synthetic reinforcement tubes...it all adds up to maximum durability and power, with the extra-long run times of 1500mAh capacity!

DTXC2100 Piranha 1500 6-Cell Flat DTXC2102 Piranha 1500 6-Cell Hump DTXC2110 Piranha 1500 7-Cell Flat DTXC2112 Piranha 1500 7-Cell Hump

Sanvo® 1900SCR Packs



Great cells at a great price! The label says 1900mAh, but these packs typically offer almost 2000mAh of run time. Plus, their low internal resistance translates to more "hole shot" punch and off-the-line acceleration!

DTXC2130 Sanyo 1900SCR 6-Cell Flat DTXC2131 Sanyo 1900SCR 7-Cell Flat

Piranha™ 1900 SCX Packs



Treat yourself to 20% longer run time than 1500mAh packs provide...and enjoy the convenience of being able to run and recharge several times in the same day!

DTXC2020 Piranha 1900 6-Cell Flat

DTXC2021 Piranha 1900 7-Cell Hump

DTXC2022 Piranha 1900 7-Cell Hump

Sanyo® RC-2400 Packs



Advances in NiCd technology make for the highest capacity NiCd available today, for longer run times...without burdening your machine with extra weight!

DTXC2081 Sanyo 2400 6-Cell Flat DTXC2082 Sanyo 2400 7-Cell Flat DTXC2083 Sanyo 2400 7-Cell Hump

6V 1100mAh 2/3A NiMH Receiver Packs



These lightweight NiMH receiver packs are made with high energy density cells, and come in a wide variety of configurations for all your racing needs.

DTXM2010 6V 1100mAh NiMH Rx Std Gas Hump
DTXM2015 6V 1100mAh NiMH Rx 1/8 Scale Flat
DTXM2020 6V 1100mAh NiMH Rx RC10GT/GF10 Flat
DTXM2025 6V 1100mAh NiMH Rx XXXX-NT Hump
DTXM2030 6V 1100mAh NiMH Rx Off-Road Hump

Battery Connectors and Building Accessories DTXC2345 Battery Soldering Jig DTXC2240 Battery Connectors and DTXC240 Battery C

DTXC2347 Battery Claw Assembly Jig DTXC2438 Copper Battery Bars (7) DTXC2300 Powerpole Connector (2 pr) DTXC2301 Powerpole Connector (10 pr) DTXC2302 Powerpole Connector (50 pr) DTXC2200 Evosho Charaer to Battery Adapter

DTXC2240 Battery Connector Set DTXC2250 Battery Connector Wire DTXC2260 Battery Connector & Wire DTXC2270 Battery Connector & Wire (50) DTXC2280 Charger Connector & Wire DTXC2290 Charger Connector & Wire (50) DTXC2340 Battery Y-Harness

me Heak



ntelliPeak Ice meets the special charging needs of experienced electric car, truck and boat modelers, offering the ideal charge rates...the flexibility to handle multiple battery types...four charge modes (linear, reflex, impulse and "four-step")...plus uniquely easy operation and numerous programming options. It's a great value — and a must for serious drivers who demand the best! DTXP4170



The large LCD screen shows 8 lines of data and 21 characters per line, allowing more information to be viewed without scrolling. That makes menus and controls extra-simple to use — and keeps battery condition updates, charge problem warnings and other important messages easy to read. It also displays charge and discharge voltage graphs!



Its ability to break-in electric motors or operate commutator lathes is another IntelliPeak (se feature that distinguishes it as the "racer's choice" among chargers. For motor break-in, it offers 1.0-8.0V adjustable output, time adjustable from 1-180 minutes; and 10A constant current (30A surge).



With its advanced technology, intuitive menus, and simple pushbutton and dial operation, the Ice combines enormous functionality with remarkable ease of use. Four charge modes — linear, reflex, impulse, and 4-step — plus optional battery temperature monitoring truly make Ice the choice for serious-minded racers.

FEATURES:

- Handles 1-10 NiCd or NiMH cells, and 1-4 lithium-ion (Li-Ion) or lithium-polymer (Li-Po) cells.
- Wide adjustable current ranges for fast-charge (0.1-8.0A) and discharge (0.1-10.0A) are ideal for electric cars, trucks and boats.
- Displays graphs which show charge and discharge voltage curves.
- Performs 1-10 cycles (NiCd and NiMH only) retrieves data for 10 full cycles.
- Program up to 10 batteries in memory by custom names for easy recall and charger set-up.

ADDITIONAL SPECIFICATIONS:

INPUT VOLTAGE: 11-15V DC

TYPES, # OF CELLS: 1-10 Nickel-Cadmium cells (1.2-12.0V NiCd), 1-10 Nickel-Metal Hydride cells (1.2-12.0V NiMH), 1-4 Lithium-lon or Lithium-Polymer cells (3.6-14.8V Li-lon/Li-Po)

BATTERY CAPACITY RANGE: 100-9900mAh

FAST CHARGE CURRENT:

0.1-8.0 A linear, reflex, impulse and 4-step

FAST CHARGE TERMINATION: Peak detection for NiCd and NiMH "constant current / constant voltage" for Li-lon / Li-Po, optional thermal cutoff for all battery types

PEAK SENSITIVITY: 0-25mV adjustable

TRICKLE CHARGE CURRENT: 0-500mA (n/a for Li-lon / Li-Po)

DISCHARGE CURRENT: 0.1-10.0A adjustable

DISCHARGE CUT-OFF VOLTAGE: 0.8-1.1V per cell NiCd & NiMH 2.5-3.7V per cell Li-lon/Li-Po

TEMPERATURE CUT-OFF RANGE: 50-132 degrees F

CYCLE COUNT:

one to ten cycles (n/a for Li-lon/Li-Po)

CYCLE COOLOFF DELAY: 1-30 minutes adjustable

OUTPUT CONNECTORS:

NURATRAX 20 AMP DISCHARGER

Discharge up to six individual sub-C NiCd or NiMH cells at up to 20 amps!

Indique lever-lock handles and spring-loaded contacts make cell insertion and removal fast and easy. Status lights indicate each cell's condition. The built-in cooling fan can be powered by load cells or an external DC power supply (rest included) DTP@430


The Racer's Choice for FAST Discharging!





17

Affordable. Easy to use. NiMH and NiCd compatible!



Chargers are solid values now — and smart investments toward future charging needs.

All IntelliPeak Chargers feature:

- Peak charging for NiCd and NiMH battery packs.
- Advanced "fuzzy logic" microprocessor to eliminate false peaks.
- AC/DC compatibility (DC-only versions also available for several models).
- High-efficiency, pulsed-current fast charging.
- Automatic switch from peak charge to trickle charge.
- Reverse polarity, thermal and overload protection.
- Charge lead with standard connector.

All except Twin Pulse Charger also feature:

- Single-button set-up.
- 4-7 cell charging capacity on DC power 4-8 cell capacity on AC power (for AC-equipped chargers).
- 4 setup/status LEDs.
- 100mA trickle charging.
- Two cycling modes: single-cycle, for periodic pack conditioning, and non-style cycling for deep pack conditioning.
- Adjustable fast-charge current rates.



IntelliPeak AC/DC Deluxe Pulse Charger (DTXP4120)

Deluxe with Compact Switching Power Supply detects cell chemistry, automatically selecting either "Negative Delta V" charging for NiCds or "Zero Delta V" for NiMHs. Charge rates with both methods are the same — 0.5-6.5Å — and discharging can be set at 2A or 10A rates. Twin, built-in fans keep the Deluxe extra cool during operation. DC-Only Version (DTXP4119) does not include Compact Switching Power Supply.



IntelliPeak AC/DC Pulse Charger (DTXP4100)

Easy to use, yet sophisticated in operation. Charges at 0.5 to 6.5A rates and discharges at 1A. Includes built-in AC power supply.



IntelliPeak AC/DC Mini Pulse Charger (DTXP4110)

Fan-cooled DC peak charger weighs less than half a pound. Combine it with the included, detachable Compact Switching Power Supply and it still weighs under a pound! Charge rates adjust from 1.0A to 4.5A. 2A discharging makes the Mini the lightest cycling unit around. DC-Only Version (DTXP4109) does not include Compact Switching Power Supply.





Measuring just 3.9" x 2.75" x 2.5", the Compact Switching Power Supply plugs into any AC outlet and delivers 7A of "clean" 12V DC power. Solidstate components and a high-frequency (22kHz) design eliminate bulky transformers. Includes cooling fan, fuse protection, and 4-foot extension cord with terminal block adapter.



IntelliPeak AC/DC Digital Pulse Charger (DTXP4130)

To the features of the Deluxe, the Digital adds a large, bright LCD screen for monitoring pack progress. A flip of the selector switch can bring up charge current, charge voltage, pack capacity in mAh — or all three — in seconds.



IntelliPeak AC/DC Twin Pulse Charger (DTXP4150)

The Twin is actually two independent peak chargers in one. Packs can be started alone, together, or one after another! Both offer 3.5A charge rates for 6-7 cell, sub-C packs — and Circuit #1 also offers a 1A charge rate for 8-cell Tx packs. Its twin LEDs glow during peak charging, but flash when the Twin automatically switches to trickle charge. Trickle rates are 100mA for 6-7 cell packs and 50mA for 8-cell packs. A built-in AC power supply and fan offer convenience and cooling with ease. Includes Futaba Transmitter Charge Adapter.

Adapters

DTXP4151 Futaba TX Adapter DTXP4152 Airtronics/Hitec TX Adapter DTXP4153 JR TX Adapter

ELECTRONIC SPEED CONTROLS

Great values and smart choices in speed controls!

All IntelliSpeed ESCs offer:

- 6-7 cell input
- Proportional forward
- **■** Brake
- Push-button set up ease*
- Programmable functions*
- Twin set up LEDs
- Traction control
- Weight-saving BEC

16T MILD- MODIFIED

REVERSIBLE (DTXM1065)

and traction control and reverse

delay are programmable. For

Reverse and ABS brakes are options,

motors with no fewer than 16 turns.

- Cool-running, high-frequency design
- Thermal protection
- 180-day warranty
- *except DTXM1055



ntellispe

Includes 16T features, but a wider motor and application range. For motors with no fewer than 12 turns.



AUTO-SPORT FORWARD w/BRAKE

(DTXM1055) Powerful enough for motors down to 20 turns! Simple to set up and ideal for stock racing and sport drivers.



AUTO-SPORT FORWARD/ REVERSE

(DTXM1059) The Auto-Sport Forward/Reverse features fully proportional forward and REVERSE, in addition to ABS braking - with the same easy set-up as the original Auto-Sport.



12T MODIFIED REVERSIBLE (DTXM1070)



8T RACING REVERSIBLE

(DTXM1075) Offers the lowest on-resistance and widest motor range of any IntelliSpeed reversible. For motors with no fewer than 8 turns.



8T PRO RACING FORWARD (DTXM1080)

Fully programmable for custom racing! Includes 6V/3A BE motor and battery solder posts ar more. For motors with no fewer than 8 turns.

DESCRIPTION	AUTO-SPORT	AUTO-SPORT FWD / REV	16T MILD-MODIFIED	12T MODIFIED	8T RACING	8T PRO RACING
STOCK#	DTXM1055	DTXM1059	DTXM1065	DTXM1070	DTXM1075	DTXM1080
TYPE	Fwd, Brake	Fwd/Rev/Brake	Fwd/Rev/Brake	Fwd/Rev/Brake	Fwd/Brake	
INPUT (# OF CELLS)	6-7	4-7	6-7	6-7	6-7	6-7
MOTOR LIMIT (TURNS)	no fewer than 20	* 18	no fewer than 16	no fewer than 12	no fewer than 8	No fewer than 8
ON-RESISTANCE (ohms)	0.007	.007	0.0046	0.0035	0.002	0.0005
CONSTANT AMPS	128	128	192	232	420	1200
PEAK AMPS	440	440	660	800	1410	4700
THERMAL PROTECTION	Yes	Yes	Yes	Yes	Yes	Yes
BEC (volts/amps)	5.0/1.0	5.0/1.0	5.0/1.0	5.0/1.0	5.0/1.0	6.0/3.0
SET-UP	Automatic	Automatic	Push-button	Push-button	Push-button	Push-button
SET-UP LEDS	2	2	2	2	2	2
REVERSE LOCKOUT	n/a	Yes	Yes	Yes	Yes	n/a
REVERSE DELAY (sec)	n/a	n/a	0.3 or 0.8	0.3 or 0.8	0.3 or 0.8	n/a
ABS BRAKE	n/a	Optional	Optional	Optional	Optional	n/a
FET SERVO LEAD	-	-				Yes
PROGRAMMABLE	n/a	n/a	Rev. delay/Traction control	Rev. delay/Traction control	Rev. delay/Traction control	Fully
TRACTION CONTROL (sec)	0.34 (fixed)	0.34 Fixed	0.0, 0.1 or 0.2	0.0, 0.1 or 0.2	0.09, 0.16 or 0.27	Adjustable
TURBO START	-	-	-	-	-	Adjustable
CURRENT LIMIT	-	-	-	-	-	Adjustable
HI/LOW BRAKE LIMIT	-	-	-	-	-	Adjustable
QUICK START	-	-	-	-	-	Adjustable
FREQUENCY (Hz)	1000	1000	1000	1000	1000	244, 976, 1950, 3900,
THEQUEITOT (HZ)	1000		1000	1000		7810 or 15620
DIMENSIONS (in/mm)	1.65 x 1.50 x 0.63	•	1.65 x 1.50 x 0.63	1.65 x 1.50 x 0.63	1.65 x 1.50 x 0.63	1.73 x 1.22 x 0.71
	(42x 38 x 16)		(42 x 38 x 16)	(42 x 38 x 16)	(42 x 38 x 16)	(44x31x18)
WEIGHT (oz/g)	1.9 (55)	2.1 (60)	2.19 (62)	2.44 (69)	2.53 (72)	1.45 (41)
RADIO LEAD	Futaba J	Futaba J	Futaba J	Futaba J	Futaba J	Futaba J
MOTOR LEAD	Bullet	Bullet	Bullet	Bullet	Bullet	Solder posts*
BATTERY LEAD	Std.	Std.	Std.	Std.	Std.	Solder posts*

Motor and battery leads included

PIRANHA

Get more than you pay for ... with Piranha chargers.

iranha chargers offer affordability, versatility and confidence. Fuse-protected AC input, DC input protected against reverse polarity, and a durable, double-vented ABS case contribute to dependable operation and long life.

CX Series timed chargers meet the needs of 6-7 cell, 1300-2000mAh NiCd batteries. The CX-10 Fast Charger fast-charges at 2.5A. The CX-15 Fast Charger With Meter adds an easy-to-read ammeter and choice of charge or discharge cycles, 5-year warranty for both.

The Piranha Peak Power Charger peaks 6-7 cell, 1200-2000mAh sub-C NiCds at rates up to 4.5A and switches to 50-300mA auto-trickle at peak.



Piranha Peak Power AC/DC Charger (DTXP4000)



Piranha CX-10 Fast AC/DC Charger (DTXP4011)



Piranha CX-15 Fast AC/DC Charger with Meter (DTXP4020)

Piranha[™] DC Peak Charger (DTXP4002)

An incredible value in peak

Charges 6- or 7-cell packs, both NiCd AND NiMH batteries.

For cost-conscious car modelers who want the advantages of peak charging, the Piranha DC Peak Charger is the answer! It'll charge 6- or 7-cell NiMH or NiCd battery packs with a push of a button. Includes twin charge LEDs. It's very compact, lightweight, easy to transport and use.

Specifications:	
Input Voltage	11-15V DC
Number of Cells	6 or 7 NiCd or NiMH
Battery Capacity	1200-3600 mAh
Fast Charge Current	4.0 amps fixed
Fast Charge Termination	-deltaV peak detection
Trickle Charge Current	50mA

Maximum Capacity Peak 📚 Charging! 5 YEAR

Piranha™ Digital Peak Charger (DTXP4005)

Powerful, programmable peak charging — anywhere!

Easy programming. Microprocessorcontrolled intelligence and reliability. The convenience of AC/DC input, and the versatility to handle a wide variety of charging needs. It's all available in the Piranha Digital Peak Charger the most charger so little money

Its six programmable features let you tailor operation for the best results with your specific battery types.

Programming is a snap, because the 16-character LCD is more detailed and advanced than those of any comparable charger. Store pre-set charge parameters in memory for up to 10 different cells or packs.

Smart design allows you to keep track of charge progress and warns of errors along the way such as improper input voltage, poor battery connections, or reverse output polarity. 1-year warranty.



charge capacity, and more!

1588mAh The LCD includes several screens which can show active and final charge data, including charge time, input voltage, voltage peak,

8.788Up

	Feature	Programmable Range		
ı	Battery Type	NiCd, NiMH - 1-8 cells		
,	Charge Current	0.1-5.0A		
	Battery Capacity	50-5000mAh		
	Peak Sensitivity	3-20mV		
	Trickle Current	0, 100, 200mA		
	Sound Cues	5		

Some facts about your Maxx:

ough as it is, you can make it even tougher. Just replace the stock plastic parts with direct-fit, all-metal upgrades from DuraTrax.

DuraTrax options for the Traxxas® T-Maxx™ and E-Maxx™ are machined from rugged 7075 or 6061 T-6 aluminum, and all mounting hardware is included. They're your ticket to better performance and greater endurance!



- Powder-coated machined aluminum construction.
- Adjustable nylon hold-downs fold back when not in use.
- Engine head and fuel tank cut-outs allow models to lie flush when inverted.
- Rubber pads protect your finish.
- Store glow plugs and tools in 7

DTXC2365 Work Stand Silver DTXC2366 Work Stand Blue DTXC2367 Work Stand Purple

Skid Sets



- Skid Sets fully cover the driveshafts and transmission for maximum protection from dirt and debris.
- Center Skid Plate interlocks with the Front and Rear Plates for a strong, smooth connection that prevents hang-ups.

DTXC2573 Skid Plate Set F/R Purple DTXC2574 Skid Plate Set F/R Silver DTXC2575 Skid Plate Set F/R Blue DTXC2701 Center Skid Plate Silver DTXC2702 Center Skid Plate Blue DTXC2703 Center Skid Plate Purple

Bumpers







- Bolt onto either T-Maxx or E-Maxx without modifications to replace stock plastic bumpers.
- Made of super-strong aluminum.
- One-piece machined construction resists
- Sets include both front and rear bumpers plus hardware — a better value than bumpers sold separately.

DTXC2576 Bumper Set F/R Blue DTXC2577 Bumper Set F/R Silver DTXC2716 Heavy Duty Bumper Solid Silver DTXC2717 Heavy Duty Bumper Solid Blue DTXC2718 Heavy Duty Bumper Solid Purple DTXC2720 Heavy Duty Bumper Slotted Silver DTXC2721 Heavy Duty Bumper Slotted Blue DTXC2725 Bumper Mount Front Silver DTXC2726 Bumper Mount Front Blue DTXC2730 Bumper Mount Rear Silver DTXC2731 Bumper Mount Rear Blue

Chassis Parts



- Rigid, 8mm thick aluminum Chassis Brace Set prepares your truck for seri-
- Machined aluminum Bulkhead Brace Set fits between bumper mounts and bulkhead halves for increased strength.
- Solid billet aluminum Servo Guard features box construction for extra toughness.

DTXC2710 Chassis Brace Set Silver DTXC2711 Chassis Brace Set Blue DTXC2712 Chassis Brace Set Purple DTXC2735 Bulkhead Brace F/R Silver DTXC2736 Bulkhead Brace F/R Blue DTXC2740 Servo Guard Silver DTXC2741 Servo Guard Blue DTXC2742 Servo Guard Purple

T-Maxx™ and E-Maxx™ are trademarks of Traxxas® Corporation.

Programmable

Features!

DIGITAL

Evader™ Series Optional Hop-Ups

Colored Hop-Ups



vader & Nitro Evader

TXC6182 Ball Cups Yellow (14) TXC6183 Ball Cups Blue (14) TXC6184 Ball Cups Green (14) TXC9452 Steering Bellcrank Blue TXC9453 Steering Bellcrank Green TXC9454 Steering Bellcrank Yellow OTXC9031 Shock Bushings Yellow (4) OTXC9032 Shock Bushings Blue (4) OTXC9033 Shock Bushings Green (4)



TXC6291 Battery Strap Yellow TXC6292 Battery Strap Blue TXC6293 Battery Strap Green TXC6846 Front Bumper Yellow TXC6847 Front Bumper Blue TXC6848 Front Bumper Green TXC8266 Motor Guard Yellow TXC8267 Motor Guard Blue TXC8267 Motor Guard Green



litro Evader


TXC6852 Front Bumper Yellow TXC6853 Front Bumper Blue TXC6854 Front Bumper Green TXC6822 Front Bulkhead Yellow TXC6823 Front Bulkhead Blue TXC6824 Front Bulkhead Green TXC9581 Rear Suspension Plate Yellow OTXC9582 Rear Suspension Plate Blue OTXC9583 Rear Suspension Plate Green

TXC9852 Front Yellow ST TXC9853 Front Blue ST TXC9854 Front Green ST TXC9856 Rear Yellow ST TXC9857 Rear Blue ST TXC9858 Rear Green ST TXC9842 Front Yellow BX TXC9843 Front Green BX TXC9844 Front Blue BX TXC9845 Rear Yellow BX TXC9846 Rear Green BX TXC9847 Rear Blue BX TXC9861 Rear Yellow Nitro BX

TXC9862 Rear Blue Nitro BX

TXC9863 Rear Green Nitro BX

Aluminum Hop-Ups



Evader DTXC6294 Battery Strap Blue DTXC6295 ABattery Strap Purple DTXC6613 Front Brace Blue DTXC6614 Front Brace Purple DTXC6807 Front Bulkhead Blue DTXC6808 Front Bulkhead Purple DTXC7980 Heat Sink Motor Mount Blue DTXC7981 Heat Sink Motor Mount Purple DTXC8032 Hub Carriers Blue (2) DTXC8033 Hub Carriers Purple (2) DTXC8071 Rear Hubs Blue (2) DTXC8072 Rear Hubs Purple (2) DTXC8221 Knuckle Arms Blue (2) ST DTXC8222 Knuckle Arms Purple (2) ST DTXC8224 Front Knuckle Arm Blue (2) BX DTXC8225 Front Knuckle Arm Purple (2) BX DTXC9315 Lightened Slipper Plate

DTXC9640 Transmission Brace Blue

DTXC9641 Transmission Brace Purple

Graphite Parts

DTXC7977 Graphite Parts Upgrade ST

DTXC6297 Battery Strap

DTXC6606 Front Brace ST

DTXC6607 Front Brace BX

DTXC8034 Hub Carrier (2)

DTXC8226 Knuckle Arm ST (2)

DTXC8227 Knuckle Arm BX (2)

DTXC9256 Shock Tower F ST

DTXC9257 Shock Tower F BX

DTXC9258 Shock Tower R ST

DTXC9259 Shock Tower R BX

DTXC9561 Susp Arm F ST (2)

DTXC9562 Susp Arm F BX (2)

DTXC9563 Susp Arm R ST (2)

DTXC9564 Susp Arm R BX (2)

DTXC9642 Transmission Brace

DTXC8073 Hub Rear (2)

DTXC8791 Servo Brace

DTXC6999 Chassis



THEY'RE RIGID AND LIGHTWEIGHT!

Titanium Hop-Ups



DTXC8023 Hinge Pin Set (8) Nitro DTXC9825 Turnbuckle Set (6) ST DTXC9828 Turnbuckle Set (6) BX DTXC8012 Hinge Pin Inner Front (2) DTXC8013 Hinge Pin Inner Rear (2) DTXC8018 Hinge Pin Outer Front (2) DTXC8019 Hinge Pin Outer Rear (2) DTXC8029 Hinge Pin Set (8) DTXC8206 Kingpin Set (2) DTXC9823 Turnbuckle 60mm (2) ST DTXC9824 Turnbuckle 70mm (2) ST DTXC9829 Turnbuckle 44mm (2) BX



Suspension Hop-Ups





Nitro Evader DTXC7012 7075 T6 Chassis Purple

DTXC7013 7075 T6 Chassis Hard Anodized DTXC6803 Front Bulkhead Blue DTXC6804 Front Bulkhead Purple DTXC6820 Rear Bulkhead Blue DTXC6821 Rear Bulkhead Purple DTXC6733 Brake Nut Blue DTXC6734 Brake Nut Purple DTXC7984 Heatsink Motor Mount Blue DTXC7985 Heatsink Motor Mount Purple DTXC8032 Front Hub Carriers Blue DTXC8033 Front Hub Carriers Purple DTXC8221 Front Knuckle Arm Blue ST DTXC8222 Front Knuckle Arm Purple ST DTXC8224 Front Knuckle Arm Blue BX

DTXC8225 Front Knuckle Arm Purple BX DTXC8071 Rear Hubs Blue DTXC8072 Rear Hubs Purple DTXC7702 Lightened & Vented Flywheel Blue

DTXC7703 Lightened & Vented Flywheel Purple DTXG1526 Stage II Performance Head Black DTXG1527 Stage II Performance Head Blue

DTXG1528 Stage II Performance Head Purple

Evader & Nitro Evader Carbide Balls

DTXC7352 Carbide Diff Balls (12) DTXC7441 Carbide Thrust Balls (6)





DTXC9071 Teflon Shock Piston Set (24) DTXC9226 DTXC9221 Front Shocks Blue (2) ST DTXC9222 Front Shocks Purple (2) ST DTXC9223 Front Shocks Hard Anodized (2) ST DTXC9226 Rear Shocks Blue (2) ST/BX DTXC9227 Rear Shocks Purple (2) ST/BX DTXC9228 Rear Shocks Hard Anodized (2) ST/BX DTXC9241 Front Shocks Blue (2) BX DTXC9242 Front Shocks Purple (2) BX DTXC9243 Front Shocks Hard Anodized (2) BX

Shock Springs DTXC9230 Front Medium Yellow (2) ST

DTXC9231 Front Hard Green (2) ST DTXC9232 Front Soft White (2) ST DTXC9261 Front Extra Soft Silver (2) ST DTXC9238 Front Soft White (2) BX DTXC9244 Front Extra Soft Silver (2) BX DTXC9245 Front Medium Yellow (2) BX DTXC9246 Front Hard Green (2) BX DTXC9235 Rear Medium Yellow (2) ST/BX

DTXC9236 Rear Hard Green (2) ST/BX

DTXC9237 Rear Soft White (2) ST/BX

DTXC9260 Rear Extra Soft Silver (2) ST/BX

Sway Bar Kits

DTXC9576 Front Sway Bar Kit DTXC9577 Rear Sway Bar Kit

Delphi Indy Car Optional Hop-Ups



DTXC7982 Aluminum Heatsink Motor Mount Blue

DTXC8996 Aluminum Main Shock

DTXC6176 Aluminum Rear Axle

DTXC9749 Turnbuckle Tie Rods

DTXC6190 Ball Differential

DTXC9773 Wing Set Blue

DTXC9774 Wing Set Black

DTXC9144 Aluminum Shock Spring Set

DTXC9143 Front Spring Set - hard & soft

DTXC7670 Foam Mounted Tires Front (2)

DTXC7671 Foam Mounted Tires Rear (2)

DTXC7983 Aluminum Heatsink Motor Mount Purple





Street Force GP Optional Hop-Ups

DTXC6106 Belt Tensioner DTXC6865 Foam Bumper DTXC7026 3.25mm 7075 T6 Aluminum Chassis DTXC7121 Clutch Bell 14T/17T DTXC7122 Clutch Bell 15T/18T DTXC7280 CV Drive Shafts DTXC8290 One-Speed Conversion Kit DTXC8406 Graphite Radio Plate Set DTXC9104 Shock Springs Front 1.2mm DTXC9107 Shock Springs Rear 1.3mm DTXC9108 Shock Springs Front 1.4mm DTXC9109 Shock Springs Rear 1.4mm

DTXC9253 Graphite Rear Shock Tower DTXC9411 43T Spur Gear DTXC9413 47T spur Gear DTXC9415 1.8mm Rear Stabilizer Bar DTXC9416 2.0mm Rear Stabilizer Bar DTXC9670 Slide Valve Linkage Set DTXC9722 Slick Tires with Foams (4) DTXC9882 5-Spoke Star Wheels Black (4 DTXC9883 10-Spoke Wheels White (4) DTXC9884 5-Spoke Wheels Yellow (4)

DTXG0442 Slide Valve Carburetor

DTXC6178 Titanium Rear Axle

Maximum Series Optional Hop-Ups Micro Street Force Optional Hop-Ups

Performance Hop-Ups **Aluminum Hop-Ups**

DTXC1090 Bearing Completer Set DTXC9737 Tuned Pipe Set DTXC7131 Clutch Bell 13T DTXC7140 Clutch Bell 15T DTXC7145 Clutch Bell 16T DTXC7282 CV Driveshafts ST, MT DTXC9610 2-Speed Conversion Kit DTXC9402 Metal Spur Gear 52T



Suspension Hop-Ups

DTXC9151 Shocks Purple (2) DTXC9152 Shocks Black (2) DTXC9153 Shocks Blue (2) DTXC9111 Blue 1.1mm Spring (2) DTXC9113 Yellow 1.3mm Spring (2) DTXC9114 Purple 1.4mm Spring (2) DTXC9120 Spring Set 1.1mm - 1.4mm



DTXC9749

Chassis

DTXC7001 Anodized Chassis - Purple DTXC7002 Anodized Chassis - Black DTXC7003 Anodized Chassis - Blue DTXC7004 Strong 6061 T6 Chassis - Blue DTXC7005 Strong 6061 Chassis T6 - Purple DTXC8401 Radio Plate - Purple DTXC8402 Radio Plate - Black DTXC8403 Radio Plate - Blue



DTXC8003 Natural (2) DTXC8004 Black (2) DTXC8007 Blue (2) DTXC8008 Purple (2)

Front Hub Carriers DTXC8051 Natural (2) DTXC8052 Purple (2) DTXC8053 Blue (2) DTXC8054 Black (2)

DTXC9953 Blue (2) DTXC9954 Black (2) Suspension Arms

Front Hubs

DTXC9951 Natural (2)

DTXC9566 Natural (2) DTXC9567 Purple (2) DTXC9568 Blue (2) DTXC9569 Black (2)

DTXC9196 Graphite Front Shock Tower





Steering Bellcranks DTXC9450 Blue DTXC9451 Purple



DTXC6867 Foam Bumper Red DTXC6868 Foam Bumper Blue DTXC6869 Foam Bumper Green DTXC7036 Graphite Chassis I DTXC7037 Graphite Chassis V DTXC7035 Graphite Upper Plate DTXC6456 Aluminum Body Mounts DTXC7034 Aluminum Upper Plate Mount DTXC8356 Pinion Gear 9T DTXC8357 Pinion Gear 11T DTXC8358 Pinion Gear 13T DTXC7279 Aluminum CV Drives DTXC7425 Front One-Way Diff DTXC8276 Heatsink Motor Plate DTXC9147 Shock Springs Hard DTXC2199 6-cell NiMH 1100mAh DTXC2230 Bullet Connector DTXC6131 Belt Tensioner Set DTXC6283 Drive Belt 140mm WB DTXC9872 10 Spoke Wheel Covers DTXC9873 20 Spoke Wheel Covers

Axis, Nitro Quake and Thunder Quake Optional Hop-Ups

DTXC6980 Chassis 3mm T6 Dark Blue - TO DTXC6981 Chassis 3mm T6 Purple - TQ DTXC6982 Chassis 3mm T6 Red - TQ DTXC7022 Upper Plate Dark Blue - TQ DTXC7023 Upper Plate Purple - TQ DTXC7024 Upper Plate Red - TQ DTXC9210 Shock Tower 4mm Blue - TQ DTXC9211 Shock Tower 4mm Dark Blue - TQ DTXC9212 Shock Tower 4mm Purple - TQ DTXC9213 Shock Tower 4mm Red - TQ DTXC9575 Stabilizer Bar Set - PIC DTXC9733 Torsen Differential Center - Axis, NQ DTXC9734 Torsen Differential Front/Rear - Axis

DTXC9732 Torsen Differential Front/Rear - NQ DTXC7154 Racing Clutch Shoes - Axis, NQ, TQ DTXC7170 Racing Clutch Springs - Axis, NQ, TQ

DTXC7473 Universal Dogbone Axle Rear - Axis, NQ, TQ DTXC9730 Titanium Shock Shaft Front - Axis DTXC9731 Titanium Shock Shaft Rear - Axis, NQ, TQ DTXC9748 Turnbuckles - Axis, Nitro Quake DTXC2501 Graphite Upper Plate - Axis, NQ, TQ

DTXC2502 Graphite Shock Tower Front - Axis DTXC2503 Graphite Shock Tower Rear - Axis DTXC2508 Graphite Shock Tower - NQ, TQ DTXC9896 T-Maxx Wheel Adapters (2) - TQ





DuraTrax Tools & Accessories

Engine Tuning Tool (DTXR0187)

Engine Tuning Screwdriver (DTXR0185)

Adjust high-/low-speed needles and throttle stop screws with a single tool — 120mm hardened steel shaft and 3.2mm wide magnetized tip.

■ Handles needle and throttle stop screw

DTXR0140 Standard Screwdriver Set DTXR0375 Precision Car Tool Set Metric DTXR0380 Precision Car Tool Set SAE

Tool Sets

Metric and SAE Car Precision Tool Sets each include 10 tools Rubberized handles provide increased control. Standard Screwdriver Set includes 2 slotted and 3 Phillips screwdrivers. All three tool sets come in a roll-up pouch.

adjustments, stores a spare glow plug (not

Pit-Tech™ Camber Gauge

■ Easily and accurately measures camber settings in one degree increments, from 10° positive to 10° negative.



Jitimate Body Reamer



Car Wrenches

Chromed, cast metal Deluxe includes

socket head sizes and stores up to 4 low plugs. Ultimate adds combination

ocket for 1/8 car wheel nuts.

TXR1170 Deluxe Car Wrench

TXR1175 Ultimate Car Wrench

lotted/phillips screwdriver bit and 19mm

Features an extra-sharp point, razor-sharp flutes and a knurled aluminum handle with protective cap



Power Shot" Motor Cleaner

(DTXC2459)

Ozone-safe spray quickly removes dirt and grime from electric motors. 15.75 oz.



Perfect for making antenna and mounting holes — cuts from 0-15mm

Motor Station Parts Trav (DTXC2350)

R/C Body Reamer

(DTXR1155)

■ Molded nylon stand with rubber feet holds your motor at any angle, leaving hands free to work.

Threaded like standard glow plugs — locks engine

Crankshaft Locking Tool

piston and crankshaft for easy clutch removal/ included) AND features a piston locking tool! installation.

Standard Screwdrivers

All feature a full-sized, rubberized handle and chromed vanadium steel shaft with a hardened, magnetized tip.

DTXR0100 Slot 5 X 100mm DTXR0102 Slot 6 X 100mm DTXR0120 Phillips #0 X 75mm DTXR0122 Phillips #1 X 75mm DTXR0124 Phillips #2 X 100mm



6" Long Nose Pliers (DTXR0300)

Designed for fast, comfortable wire

stripping and cutting, with serrated jaws and chromed alloy steel

Ultimate Flywheel Wrench (DTXR1105)

■ Safely and easily holds flywheel while tightening and loosening clutch nuts. Slotted to fit 2-, 3-, or 4-pin flywheels.



Mini Hobby Knife (DTXR1152)

At only 3.25" long, the Mini Hobby Knife is ideal for working in tight spaces such as narrow sedan bodies, truck cabs and 1/10 scale buggy bodies. Great for trimming window mask and intricate decals.

7" Heavy-Duty Diagonal Cutter (DTXR0302)

■ Tackle heavy cutting jobs, including: 2-56 and 4-40 pushrods; 1/16" (1.5mm) and 1/8" (3mm) music wire; and 1/8" (3mm) braided cable!



Body Scissors (DTXR1150)

construction.

Curved, stainless steel blades cut through plastics without tearing.

Servo Tape (DTXR1215)

■ 1" x 36".



DuraTrax Tools & Accessories

Aluminum Servo Arms



Includes adapters to fit all popular servos

DTXM5000 Round Blue DTXM5001 Round Red DTXM5002 Round Purple DTXM5003 Round Gold DTXM5010 Single Blue DTXM5011 Single Red DTXM5012 Single Purple DTXM5013 Single Gold

DTXM5020 Double Blue DTXM5021 Double Red DTXM5022 Double Purple DTXM5023 Double Gold DTXM5030 L-Shape Blue DTXM5031 L-Shape Red DTXM5032 L-Shape Purple DTXM5033 L-Shape Gold

Heavy-Duty Servo Saver

(DTXC2582)

Protect servos from the rigors of racing — includes adapters for Hobbico, Futaba, Hitec and KO servos.

Antennas and Tubes

DTXC2410 Color Antenna Tube Asst. (10) DTXC2415 Antenna Tubes (2) DTXC2417 Futaba ANT-5 Tx Antenna DTXC2419 Futaba ANT-13 Tx Antenna DTXC2420 Aluminum Antenna Mount - Blue


Aluminum Steering Wheel with Foam Grip

■ Fits Futaba® radios. DTXM5060 Blue

DTXM5061 Purple



Throttle and Brake Linkage Kits



DTXM5050 Blue DTXM5051 Pink DTXM5052 Purple DTXM5053 Yellow DTXM5054 Orange

Precison Tools

■ Engineered for very fine control, with rubberized, tapered handles and color-coded, finger pivot caps.

Precision Screwdrivers

Slotted DTXR0150 1.5 DTXR0152 2.0 DTXR0154 2.5 DTXR0156 3.0 DTXR0158 3.5 DTXR0160 4.0 **Phillips** DTXR0170 #00 DTXR0172 #0 DTXR0174 #1

Precision Nut Drivers Metric

DTXR0210 5.0mm DTXR0216 7.0mm

DTXR0220 3/32" DTXR0222 7/64" DTXR0224 1/8" DTXR0226 9/64"

SAE (cont.) DTXR0228 5/32" DTXR0230 3/16" DTXR0232 7/32"

DTXR0200 2.5mm DTXR0234 1/4" DTXR0202 3.0mm DTXR0236 5/16" DTXR0204 3.5mm DTXR0238 3/8" DTXR0206 4.0mm DTXR0222 Nut DTXR0208 4.5mm Driver 7/64" DTXR0212 5.5mm **Precision Ball** DTXR0214 6.0mm

Hex Drivers Metric

DTXR0250 1.5mm DTXR0252 2.0mm DTXR0254 2 5mm DTXR0256 3 0mm

Shock Shaft Tool (DTXR1140)

Metric (cont.) DTXR0258 4.0mm DTXR0260 5.0mm

SAE DTXR0272 .050" DTXR0274 1/16" DTXR0276 5/64" DTXR0278 3/32" DTXR0280 7/64" DTXR0282 1/8" DTXR0284 9/64' DTXR0286 5/32"

Ball Cup Drivers



Made of anodized aluminum or plastic, in sizes designed for Associated and Losi ball cups.

DTXR1125 Open-style - Aluminum DTXR1126 ASC, Losi, DTX - Plastic DTXR1130 Associated - Aluminum DTXR1135 Losi - Aluminum

Ultimate Hex Drivers

DTXR0389 1/16

DTXR03905/64

Ultimate Drivers

Hardened steel tips provide durability, while the anodized aluminum handles feature knurled grips for more comfort and control. Replacement tips are available.

DTXR0179 Ultimate Slotted Screwdriver Set (3pc) DTXR0183 Ultimate Phillips Screwdriver Set (3pc) DTXR0292 Ultimate Hex Driver Set (4pc) DTXR0297 Ultimate Ball Driver Set (4pc) DTXR0392 Ultimate Hex Driver Set - SAE (4pc)

Competition Shocks



Save on the jolt-absorbing power of oil shocks! Sold in pairs, these 3" and 4" shocks feature silicone O-ring seals, non-stick guides and goldanodized shock bodies. DTXC3500 Front Competition Shocks DTXC3501 Rear Competition Shocks

Screwdrivers DTXR01762.0mm DTXR01773.0mm DTXR01784 0mm

Ultimate Phillips **Screwdrivers** DTXR01802.0mm

DTXR01813.0mm

Ultimate Slotted

Ultimate Ball Drivers

DTXR02931.5mm

DTXR02881.5mm

DTXR02892.0mm

DTXR02902.5mm

DTXR02913.0mm

Spur Gears

■ Nylon construction — manufactured for optimum gear mesh.

DTXC300581T Spur Gear DTXC301086T Spur Gear DTXC301590T Spur Gear 64 Pitch

DTXC302098T Spur Gear DTXC3025 100T Spur Gear DTXC3030104T Spur Gear DTXC3035 108T Spur Gear DTXC3040 120T Spur Gear



■ Machined brass tool — use with pliers (not included) to hold shock shafts for safe, easy installation.

DTXR02942.0mm DTXR02952.5mm

DTXR02963.0mm









Track Accessories

Pit-Tech™ Deluxe Car Stands



ccess. Base includes an extra-large parts tray.

OTXC2370 Pit-Tech Deluxe Car Stand Blue OTXC2371 Pit-Tech Deluxe Car Stand Orange OTXC2372 Pit-Tech Deluxe Car Stand Purple OTXC2373 Pit-Tech Deluxe Car Stand Green

Nylon Work Mat DTXC2040)

Provides a durable surface for working on models at home, or at the track or field. Measures 24" x 38".



īrack Bags Carry your DuraTrax vehicle in style with these handy Track lags. Both are made of heavy-duty black nylon with red trim

ind feature detachable shoulder straps for easy transport. Deluxe features a water-resistant vinvl bottom and two extra ippered compartments.

TXP2000 XL Track Bag



Apparel

lats

Feature a brushed cotton low crown with adjustable enclosures. One size fits all

TXZ5000 Khaki/Navv TXZ5001 Charcoal/Black

-Shirts

Made of pre-shrunk 100% cotton white with racing stripe on front, DuraTrax logo on back.

TXZ5011 Medium TXZ5012 Large TXZ5013 X-Large

TXZ5014 XX-Large



Kwik Ramp™ Portable Kwik Trak™ Racing Kwik-Pit™ Nitro Belt Jump (DTXC2375)



■ Portable jump with adjustable angle, made of impact-resistant corrugated polymer.

Set of six 7" cones.

Racing Banner (DTXZ5101)



■ 4' banner is made of durable Tvvek™ material.

Mini-Z™ and Micro 1/18 Carriers

Perfect for HPI Micro RS4s, or any Kyosho® Mini-Z vehicle including F1s and Overlands. Bags feature 600D nylon construction, carrying handles, detachable shoulder straps, internal foam cushions for both car and transmitter and storage areas for spare batteries, parts and tires.

DTXP2025 Mini-Z Carrier DTXP2027 Micro 1/18 Carrier



Transmitter Bag

separately (DTXC2030).

Combo (DTXC2035)

Transports and stores most pistol grip radios, with removable foam panels to accommodate different size transmitters. Includes carrying handle and adjustable shoulder

Keep your most-used nitro tools

durable nylon belt is adjustable,

le. Includes a 250cc Fuel Bottle,

ing screwdriver, and Deluxe Car

Wrench. Nitro Belt also available

and features a quick-release buck-

alkaline glow starter, engine tun-

within easy reach at all times! The



Body Accessories

WindowMask™ Window Masking Paper

(DTXR1200)

Adhesive-backed masking film protects against bleeding and overspray (6" x 12.5" sheet).



Shoe Goo II (DTXC2460)

Clear, nonflammable "fixit" compound dries strong and flexible ideal for repairing hodies mounting servos, assembling battery packs and more.

Body Repair Tape

(DTXR1210)

Flexible, openweave nylon mesh tape for repairing Lexan®, ABS plastic and wood.



Body Posts

Flexible, dyeable, molded nylon posts feature adjustable collars for correct body height and include hardware.

DTXC2602 Wh	ite 2"	DTXC2612	Black 2"
DTXC2603 Wh	ite 3"	DTXC2613	Black 3"
DTXC2604 Wh	ite 4"	DTXC2614	Black 4"
DTXC2605 Wh	ite 1.5"	DTXC2615	Black 1.5
DTXC2606 Wh	ite 2.5"	DTXC2616	Black 2.5
DTXC2607 Wh	ite 3.5"	DTXC2617	Black 3.5
DTXC2608 Wh	ite 4.5"	DTXC2618	Black 4.5

Ball Bearings (sold in pairs)

Teflon Seals!



■ An easy upgrade to reduce friction and increase performance!

Standard Sizes DTXC1401 1/8" X 5/16" DTXC1403 1/8" X 5/16"FL DTXC1407 1/8" X 3/8"

DTXC1411 5/32" X 5/16" DTXC1413 3/16" X 5/16" DTXC1417 3/16" X 5/16" FL DTXC1423 3/16" X 3/8" DTXC1429 1/4" X 3/8" DTXC1433 1/4" X 3/8" FL DTXC1437 3/8" X 5/8"

DTXC1441 1/2" X 3/4" SL FL = Flanged Bearing

Metric Sizes DTXC1501 2mm x 6mm DTXC1503 3mm x 6mm DTXC1505 3mm x 6mm FL DTXC1506 3mm x 7mm DTXC1507 4mm x 7mm DTXC1509 4mm x 7mm FL DTXC1511 4mm x 8mm DTXC1517 4mm x 8mm FL DTXC1523 5mm x 8mm

DTXC1527 5mm x 8mm FL DTXC1531 5mm x 9mm DTXC1535 5mm x 10mm DTXC1541 5mm x 10mm FL DTXC1547 5mm x 11mm

DTXC1553 5mm x 11mm Stainless Steel DTXC1561 6mm x 10mm DTXC1565 6mm x 10mm FL DTXC1569 6mm x 12mm DTXC1573 6mm x 13mm DTXC1575 7mm x 11mm DTXC1579 7mm x 19mm DTXC1581 8mm x 12mm DTXC1582 8mm x 12mm FL DTXC1583 8mm x 14mm DTXC1585 8mm x 16mm

DTXC1593 9mm x 17mm Crankshaft DTXC1595 10mm x 15mm DTXC1597 12mm x 18mm

Screw Sets




Screw sizes and quantities that modelers use most - organized in a clear, compact, 10-compartment plastic case. Each compartment's hardware is bagged separately for easy handling.

DTXO0100 Metric Phillips Head Screw Set (200) DTXQ0125 Metric Socket Head Screw Set (124) DTXQ0150 Metric Flat Head Screw Set (188)

Pit-Tech Threadlocker DTXR2010

■ Medium Strength 0.2 ounces





Bearing Sets for Popular Vehicles

Associated

DTXC1109 RC-10 R3/T3 DTXC1110 RC-10 B2/T2 DTXC1118 RC-10 ST/GT/Team DTXC1125 TC-3

DuraTrax

DTXC1090 Maximum ST/BX/MT DTXC1091 Overdrive DTXC1092 Axis/Nitro Ouake/N D DTXC1095 Street Force GP2 DTXC1097 Evader

DTXC1347 RS4 MT

DTXC1342 RS4 Nitro

Kvosho DTXC1119 Clutch Bell DTXC1363 Ultima Sports EP DTXC1375 Inferno

DTXC1386 Mini-Z Team Losi DTXC1105 Mini-T

#######

Tamiya

DTXC1020 Blackfoot/M. Beetle DTXC1040 Grasshopper/L. Box DTXC1070 Clodbuster/Bullhead DTXC1073 Juggernaut 2 DTXC1074 TL01 DTXC1075 TA01 DTXC1077 TA02

Tower DTXC1200 Tower Nitro ST15

Traxxas

DTXC1087 Nitro Stampede DTXC1325 Rustler/Stamp./Bandi DTXC1326 Nitro Rustler DTXC1329 T-Maxx DTXC1332 E-Maxx



(0)

Round Head Self-Tapping Screws

DTXQ0201 2mm (20) DTXQ0203 2.6mm (20) DTXQ0205 2.6mm Long (20) THITHE DTXQ0207 3mm (25) DTXQ0209 3mm Long (20)

DTXQ0211 3mm X Long (10)

Pan Head Self-Tapping Screws DTXQ0221 2.6mm (20) DTXQ0223 3mm (25)

DTXQ0225 3mm Long (15)

Flat Head Self-Tapping Screws DTXQ0231 2.6mm (20) DTXQ0233 3mm (25) DTXQ0235 3mm Long (20)

DTXQ0241 4mm (15)

Round Head Machine Screws DTXQ0251 2mm (20) DTXQ0253 2.6mm (20) DTXQ0255 3mm (25) DTXQ0257 3mm Long (20) DTXQ0258 3mm X Long (20)

DTXQ0259 4mm (15) Pan Head Machine Screws

DTXQ0261 2.6mm (20) DTXO0263 3mm (25) DTXQ0265 3mm Long (20) DTXQ0267 3mm X Long (20) DTXO0268 4mm (20) DTXO0269 4mm (15)

Socket Head Machine Screws DTXQ0281 2mm (8) DTXO0283 2.6mm (8)

DTXO0285 3mm (8) DTXQ0286 3mm Long (8) DTXQ0287 3mm X Long (8) DTXQ0288 4mm (8) DTXQ0289 4mm Long (6)

Flat Head Machine Screws DTXQ0271 2.6mm (20)

DTXQ0273 3mm (20) DTXQ0275 3mm Long (20) DTXQ0277 3mm X Long (20) DTXQ0278 3mm XX Long (20) DTXQ0279 4mm (20)

Flanged Cap Machine Screws DTXQ0291 3mm (6) DTXQ0293 4mm (2)

Nuts

DTXQ0401 2mm/2.6mm (20) DTXQ0403 3mm/4mm (20) DTXQ0413 3mm Flanged (10) DTXQ0414 4mm Flanged (10) DTXQ0422 2.6mm Nylon Lock (5) DTXQ0423 3mm Nylon Lock (5) DTXQ0424 4mm Nylon Lock (5)

Washers

DTXQ0501 2mm/2.6mm/3mm (30) DTXQ0503 4mm/5mm (20)

Set Screws

DTXQ0301 3mm (12) DTXQ0303 3mm Long (12) DTXQ0305 4mm (12) DTXQ0307 5mm (9) DTXQ0309 5mm Long (6)

E-Clips

DTXQ0521 1.5mm (10) DTXQ0522 2.0mm (10) DTXQ0523 2.5mm (10) DTXQ0524 3.0mm (10) DTXQ0525 4.0mm (10) DTXQ0526 5.0mm (10) DTXQ0527 6.0mm (10) DTXQ0528 7.0mm (6)

DTXQ0529 10mm (6)

Tires



Street Trac Tires Designed for high nerformance and

durability on the street. DTXC5240 2.2 Truck DTXC5260 T-Maxx/Savage DTXC5290 1/8 Buggy





Tire Sticks Designed to keep tires organized.





Simulate your R/C car with amazing realism!

INCLUDES SOME OF R/C's HOTTEST VEHICLES!



rive today's hottest R/C vehicles...evaluate the effects of equipment changes...and get a large charge of pure driving "YEEEEE-HAAA!", all from your Windows computer and a single CD-ROM!

RealRace Generation 2 uses advanced physics, graphics and sound technologies to simulate driving R/C cars. You'll see full 3D motion. You set up your simulated model just like a real one, tweaking wheel alignment, shock preload. and over 120 other parameters! Features include:

- Easy-to-use pull-down menus for making adjustments "on the run":
- Enhanced graphics, such as adjustable exhaust and dust trails:

Professional R/C Car Simulator

- Track customizing flexibility, and the ability to create original tracks;*
- Fun Factor track options, such as ice patches, sudden ramps, a spinning "Lazy Susan" and more!

Each track includes several "live" computer-controlled opponents that you can test your skills against. They swerve to avoid collisions, crash, and have their own driving "personality" that you can adjust from passive to aggressive. You can also create and share your own computer-controlled opponents!

With its incredible technology giving your simulation remarkable accuracy, you can concentrate on the fun — and technique — of R/C car racing. Race against the clock to beat your own best times...compete against other RealRace drivers via the internet. Do it all with the included, genuine Futaba® pistol grip controller! For minimum system requirements, visit the RealRace web site at www.realrace.com.

Action AND More Options!









Create your own TOTALLY custom paint job!

*Requires a hitman editor compatible to edit, toa files, not included

For more information and the location of the dealer nearest you, visit our website at www.duratrax.com or call 1-800-682-8948 and mention code # 99F24.



All trademarks and registered trademarks are the property of their respective owners. Associate® RC10GT Plus®, HPI® Nitro MT and Tamiya® Terra Crusher, reproduced with authorization of their respective owners. All rights reserved.

vehicles includina:

DuraTrax Axis Associated RC10GT Plus HPI Nitro MT DuraTrax Maximum BX DuraTrax Evader ST Tamiva Terra Crusher DuraTrax Maximum ST DuraTrax Nitro Quake

Twelve different tracks!

Asphalt Challenge Oval Construction Site Gauntlet Parking Lot Dirt Bowl Bia Jump Duneland II Pig Pen II

- Photo-realistic 3D terrain
- Track conditions directly affect car performance

Multiple viewing options!

- Inside the car you drive
- Behind in a "chase" car
- Driver's Choice—anywhere on the track
- Above the action on a driver's stand



DTXZ0090 © Copyright 2004 - 3002042